

**ASPHALT AND ROOF CARE
WOOD TAR AND
WOOD PROTECTION**



Asphalt and roof care

Asphalt and roof care

Auson offers a complete bitumen-based maintenance range for renovation of felt and tin roofs containing Takisol roof compound, primer, putty and adhesive asphalt. Auson also manufactures special tars for surfaces previously coated with coal tar and asphalt solutions offering varying viscosity and properties.



ROOFING COMPOUND

black/silver

Takisol Roofing Compound is a fibered and rubberized bitumen compound intended for use on roofs of metal, roofing felt and concrete.

Article No / Size:

Svart

10000405 / 5-lit can
10000408 / 20-lit can
10000733 / 208-lit drum

Article No / Size:

Silver

10300408 / 20-lit can
10300733 / 208-lit drum



PRIMER

Easy flowing bituminous liquid for impregnating and priming of felt and concrete roofs.

Article No / Size:

10500405 / 5-lit can
10500408 / 20-lit can
10500743 / 208-lit drum



COLD APPLIED ASPHALT

Cold asphalt is an asphalt solution, easy to apply. After drying it forms a moisture resistant and waterproof surface.

Article No / Size:

10900401 / 1-lit can
10900405 / 5-lit can
10900408 / 20-lit can
10900743 / 208-lit drum



ETERNITE RENOVATION / BLACK VARNISH

Black maintenance coating, based on coal tar, for asbestos - cement roofs.

Article No / Size:

10400405 / 5-lit can
10400408 / 20-lit can

JOINT SEALER

Fibered and rubberized asphalt mastic for roof tightening and repair.

Article No / Size:

10700401 / 1-lit can
10700405 / 5-lit can
10700408 / 20-lit can



GLUEING COMPOUND

Fibered and rubberized asphalt cement for fixing overlap joints of roofing renovation felt on wooden roofs.

Article No / Size:

10800401 / 1-lit can
10800405 / 5-lit can



ASPHALT VARNISH

Asphalt varnish is a fast drying, easily applied asphalt solution, which after drying forms a protective asphalt layer on materials like iron, steel plate, stone, tile and cement surfaces, above or below ground.

Article No / Size:

11200401 / 1-lit can
11200405 / 5-lit can

ASPHALT RESTORER

Asphalt Restorer repairs holes and cavities in the asphalt, fills up at wells and levels edges.

Article No / Size:

11700218 / 20-lit can

WARM ASPHALT

Oxidation 80-90°

Article No / Size:

11100939 / 25-kg

Ausons verksamhetssystem svarar mot kraven i SS-EN ISO 9001 och SS-EN ISO 14001, inklusive AFS 2001:1 Systematiskt arbetsmiljöarbete.



Wood tar and wood protection

We offer environmentally compatible natural products for wood protection such as different types of wood tar, tar glaze, gum turpentine, linseed oil, sleeper oil and wood oil. The products can be adapted and developed according to the customer's wishes.

GENUINE PINE TAR

Pure natural product for wood preservation of wooden buildings, shingled roofs, boats, piers etc. This is the classical all-purpose-tar, suitable for everything, even for curing fissures in hooves and cloves (veterinary).

Article No / Size:
60100441 / 1-lit can
60100405 / 5-lit can
60100408 / 20-lit can
60100743 / 200-kg drum



BLACK VARNISH / COAL TAR

Classical product for traditional surface treatments on boats and roofing felts, also suitable for simpler rust protection. When dry, Black Varnish gives a glossy, black and durable film. Black Varnish is based on coal tar and must be handled with care.

Article No / Size:
63300451 / 1-lit can
63300405 / 5-lit can
63300408 / 20-lit can
63300743 / 230-kg drum



IMPREX

Imprex is a special, light coloured mixed tar. Imprex is mainly used for wood and rope preservation. Linseed oil must be added.

Article No / Size:
61100441 / 1-lit can
61100405 / 5-lit can
61100408 / 20-lit can
61110743 / 200-kg drum



WOOD OIL

Thin liquid for impregnated and untreated wood.

Article No / Size:
20800401 / 1-lit can
20800405 / 5-lit can
20800408 / 20-lit can
20800721 / 208-lit drum



KILN BURNED PINE TAR

Pure, natural product produced by the old fashioned kiln burning of pine tree stumps. This type of tar is characterized by high resin content, low content of pitch and high purity. Kiln Burned Pine Tar is a high performance tar especially for medical purposes but also for veterinary use as well as for wood and wood preservation. You can find Kiln Burned Pine Tar as an ingredient in shampoos, soaps, expectorants and in ointments against allergic rash, psoriasis and eczema, among others.

Article No / Size:
60200401 / 1-lit can
60200405 / 5-lit can
60200408 / 20-lit can
60201790 / 200-kg drum



SLEEPER OIL

Sleeper oil is a decay inhibiting oil based on wood tar, alkyl resin, decay inhibitors and solvent.

Article No / Size:
20400405 / 5-lit can



TARINOIL TAR PAINT

Tarinoil is a thin liquid with pine tar scent, a simple mixture of the natural products pine tar, linseed oil and gum turpentine. Similar compounds have been traditional for decades and offer wooden surfaces a long time protection. The content of effective ingredients is very high, even the gum turpentine can be counted among them, being a pine tree derivate.

Article No / Size:
60301401 / 1-lit can
60301405 / 5-lit can
60301408 / 20-lit can
60301740 / 208-lit drum



Auson - Tradition and innovation

Auson is an expanding family company that has been built up a stable portfolio of chemical future products since 1928. At its own factory in Kungsbacka, Auson manufactures a few hundred different products for export across the world. The company's research and development work is carried out at its own laboratory in close partnership with the customers, always with environmental and quality concerns as primary goals.



Auson AB, Reningsverksgatan 10, 421 47 V. Frölunda, Sweden
 Tel: +46-(0)31-124490, Fax: +46-(0)31-141777, E-mail: info@auson.se
www.auson.se